

## DAFTAR PUSTAKA

- Abbaspour, Z., Rostami, M., & Sh, N. (2006). The Effect of Exercise on Primary Dysmenorrhea. *J Res Health Sci*, 6(1), 26–31.
- Acheampong, K., Baffour-awuah, D., Ganu, D., Appiah, S., Pan, X., Kaminga, A., & Liu, A. (2019). Prevalence and Predictors of Dysmenorrhea , Its Effect , and Coping Mechanisms among Adolescents in Shai Osudoku District , Ghana. *Hindawi Obstetric and Gynecology International*, (1), 1-7. <https://doi.org/10.1155/2019/5834159>.
- Afrida, S. (2016). *Hubungan Dismenorea dengan Presentasi Belajar pada Siswi SMA Negeri 5 Kota Banda Aceh*. Skripsi. Universitas Syiah Kuala.
- Alessandro, D. X., Raymond, D. X. X., Peter, D. X., & X, D. X. (2019). Brief Pain Inventory in Patients With Low Back Pain : *The Journal of Pain*, 20(3), 245–263. <https://doi.org/10.1016/j.jpain.2018.07.009>
- Anurogo, D., & Wulandari, A. (2011). *Cara Jitu Mengatasi Nyeri Haid*. Yogyakarta: Andi.
- Arna, Y. D., Suwandi, T., & Yusuf, A. (2016). *The Effect of Knowledge of Adolescent Girls on The Development of Secondary Sexual Characteristics at Puberty on Self-image of Adolescent Girls in Wonoayu Sidoarjo*. 6(1), 72–75.
- Bajalan, Z., Alimoradi, Z., & Moafi, F. (2019). Nutrition as a Potential Factor of Primary Dysmenorrhea : A Systematic Review of Observational Studies. *Gynecologic and Obstetric Investigation*, 209–224. <https://doi.org/10.1159/000495408>
- Barcikowska, Z., Karolina, W., Sobierajska-rek, A., Zorena, K., Grzybowska, M. E., & Wa, P. (2020). Dysmenorrhea and Associated Factors among Polish Women: A Cross-Sectional Study. *Hindawi Pain Research and Management*, 2020, 1–10.
- Bavil, D. A., Dolatian, M., Baghban, A. A., Mahmoodi, Z., & Jones, M. (2018). *A Comparison of Physical Activity and Nutrition in Young Women with and without Primary Dysmenorrhea [ version 1 ; referees : 2 approved , 1 approved with reservations ] Referee Status : (0), 1–12*. <https://doi.org/10.12688/f1000research.12462.1>
- Beddu, S., Mukarramah, S., & Lestahulu, V. (2021). *Hubungan Status Gizi dan Usia Menarche Dengan Dismenore Primer pada Remaja Putri Hubungan Status Gizi dan Usia Menarche Dengan Dismenore Primer pada Remaja Putri*. (October 2015). <https://doi.org/10.36749/seajom.v1i1.53>
- Blakey, H., Chisholm, C., Dear, F., Harris, B., Hartwell, R., Daley, A. J., & Jolly, K. (2009). *Is Exercise Associated with Primary Dysmenorrhoea in Young*

- Women ? 222–224. <https://doi.org/10.1111/j.1471-0528.2009.02220.x>
- Draper, C. F., Duisters, K., Weger, B., Chakrabarti, A., Harms, A. C., & Brennan, L. (2018). *Menstrual cycle rhythmicity: metabolic patterns in healthy women*. 1–15. <https://doi.org/10.1038/s41598-018-32647-0>
- Edmonds, D. K. (2012). *Chapter 38 Gynaecological Disorders of Childhood and Adolescence*. 480–484.
- Eshete, N. A., & Sisay, E. A. (2018). Dysmenorrhea among University Health Science Students , Northern Ethiopia: Impact and Associated Factors. *Hindawi International Journal of Reproductive Medicine*. <https://doi.org/10.1155/2018/9730328>.
- Fahimah, Margawati, A., & Fitranti, D. Y. (2017). Hubungan Konsumsi Asam Lemak Omega-3, Aktivitas Fisik dan Persen Lemak Tubuh dengan Tingkat Dismenore pada Remaja. *Journal of Nutrition College*, 6, 268–276.
- Gamayanti, I. L., & Julia, M. (2013). Dismenore dan Kecemasan pada Remaja. *Sari Pediatri*. 15(1).
- Hailemeskel, S., Demissie, A., Assefa, N. (2016). Primary dysmenorrhea magnitude , associated risk factors , and its effect on academic performance : evidence from female university students in Ethiopia. *International Journal of Women's Health*. (8) 489–496.
- Hardinsyah, & Supariasa, I. D. N. (2016). *Ilmu Gizi: Teori & Aplikasi*. Jakarta: EGC.
- Harjatmo, T. P., Par'i, H. M., & Wiyono, S. (2017). *Penilaian Status Gizi*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Hastuti, J. (2013). *Anthropometry and Body Composition of Indonesian Adults : A n Evaluation of Body Image , Eating Behaviours , and Physical Activity*. Thesis. Queensland University of Technology.
- Hayati, S., Agustin, S., & Maidartati. (2020). Faktor-Faktor yang Berhubungan dengan Dismenore pada Remaja di SMA Pemuda Banjaran Bandung. *Jurnal Keperawatan BSI*, VIII(1), 132–142.
- Hidayati, K. B., & Farid, M. (2016). *Konsep Diri, Adversity Quotient dan Penyesuaian Diri pada Remaja Khoirul Bariyyah Hidayati*. 5(02), 137–144. <https://doi.org/10.30996/persona.v5i02.730>.
- Iacovides, S., Avidon, I., & Baker, F. C. (2015). What We Know About Primary Dysmenorrhea Today: A Critical Review. *Human Reproduction Update*. 21(6), 762–778. <https://doi.org/10.1093/humupd/dmv039>.
- Jang, I. A., Kim, M. Y., Lee, S. R., Jeong, K. A., & Chung, H. W. (2013). *Factors Related to Dysmenorrhea Among Vietnamese and Vietnamese Marriage Immigrant Women in South Korea*. 56(4), 242–248.

- Jaworska, N., & Macqueen, G. (2015). *Adolescence as A Unique Developmental Period*. 40(5), 291–293. <https://doi.org/10.1503/jpn.150268>
- Kar, S. K. (2015). *Understanding Normal Development of Adolescent Sexuality : A Bumpy Ride*. 8(2), 70–74. <https://doi.org/10.4103/0974-1208.158594>
- Kartika, S. A., Lanti, Y., & Hidayati, R. S. (2014). Hubungan antara Status Gizi dengan Derajat Dismenore pada Siswi SMA Negeri 1 Surakarta. *Nexus Kedokteran Komunitas*, 3(2), 170–180.
- Khairunnisa, & Maulina, N. (2016). Hubungan Aktivitas Fisik dengan Nyeri Haid (Dismenorea) pada Santriwati Madrasah Aliyah Swasta Ulumuddin Uteunkot Cunda Kota Lhokseumawe. *Jurnal Kedokteran Dan Kesehatan Malikussaleh*, 3(1).
- Khotimah, K., Jauzak, R. R. A., Nurunnayah, S., Wahyuningsih, & Maharani, O. (2019). Association of Body Mass Index (BMI) and Sport Activity with Dysmenorrhea in Indonesian Teenager. *Jurnal Ners dan Kebidanan Indonesia*, 7, 96–104.
- Kristiani, S. D. P., & Kusumawati, P. (2016). Perbedaan Penurunan Skor Skala Dismenore dengan Terapi Herbal Jahe dan Kunyit Asam pada Siswi Sekolah Menengah Kejuruan Muhammadiyah 2 Klaten Utara. *Jurnal Ilmu Kesehatan Stikes Duta Gama Klaten*, 8.
- Kusumaryani, M., & Antarwati, E. (2020). Ringkasan Studi “ Prioritaskan Kesehatan Reproduksi Remaja Untuk. *Lembaga Demografi Fakultas Ekonomi Dan Bisnis Universitas Indonesia*, 1–6.
- Madhubala, C., & Jyoti, K. (2012). *Relation Between Dysmenorrhea and Body Mass Index in Adolescents with Rural Versus Urban Variation*. 62(August), 442–445. <https://doi.org/10.1007/s13224-012-0171-7>.
- Mahvash, N., Eidy, A., Mehdi, K., Zahra, M. T., Mani, M., & Shahla, H. (2012). *The Effect of Physical Activity on Primary Dysmenorrhea of Female University Students*. 17(10), 1246–1252.
- Mangku, G., & Senapathi, T. G. A. (2010). *Buku Ajar Ilmu Anestesia dan Reanimasi*. Jakarta: Indeks.
- Manuaba, I. A. C. (2009). *Memahami Kesehatan Reproduksi Wanita* (2nd ed.). Jakarta: EGC.
- Marshburn, P. B., & Hurst, B. S. (2011). *Disorders of Menstruation*. Wiley-Blackwell. <https://doi.org/10.1002/9781444391824>.
- Masturoh, I., & N. Anggita. (2018). *Metodologi Penelitian Kesehatan*. Jakarta: Pusat Pendidikan Sumber Daya Manusia Kesehatan
- Matthewman, G., Lee, A., Chb, M. B., & Kaur, M. J. G. (2018). Physical Activity for Primary Dysmenorrhea: A Systematic Review and Meta-analysis of Randomized Controlled Trials . *American Journal of Obstetrics and*

*Gynecology*. <https://doi.org/10.1016/j.ajog.2018.04.001>

- Nahra, S. J., & Andalas, M. (2019). Hubungan Asupan Sumber Kalsium dan Magnesium dengan Derajat Disminore Primer pada Mahasiswi Program Studi Pendidikan Dokter Angkatan 2017. *Jurnal Averrous*, 5(1).
- Najmabadi, S., Schliep, K. C., Simonsen, S. E., Porucznik, C. A., Egger, M. J., & Stanford, J. B. (2020). *Menstrual bleeding , cycle length , and follicular and luteal phase lengths in women without known subfertility : A pooled analysis of three cohorts*. (December 2019), 1–10. <https://doi.org/10.1111/ppe.12644>
- Nur Lathifiana, R. (2019). *Hubungan Aktivitas Fisik dengan Disminore pada Remaja Putri di Pondok Pesantren Taruna Al – Quran Sleman*. Naskah Publikasi. Universitas 'Aisyiyah Yogyakarta.
- Nurlaily, E. Z., & Nindya, T. S. (2016). Hubungan antara Status Gizi dan Kerutinan Olahraga dengan Kejadian Disminore pada Remaja Putri. *Jurnal Ilmiah Kebidanan*, 2.
- Nurwana, Sabilu, Y., & Fachlevy, A. F. (2017). Analisis Faktor yang Berhubungan dengan Kejadian Disminorea pada Remaja Putri di SMA Negeri 8 Kendari tahun 2016. *Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat*, 2(6), 1–14.
- Okoro, R. N., Malgwi, H., Pharm, B., & Okoro, G. O. (2013). Evaluation of Factors that Increase the Severity of Dysmenorrhoea among University Female Students in Maiduguri , North Eastern Nigeria. *The Internet Journal of Allied Health Sciences and Practice*, 11(4).
- Oktaviana, A., Imaniar, N., Widyana, E. D., & Yuliani, I. (2019). Hubungan antara Lemak subkutan, Indeks Massa Tubuh, Kadar Hemoglobin dengan Disminore Primer pada Remaja Putri di SMA N 1 Sumberpucung. *Jurnal Pendidikan Kesehatan* 8(2), 176–188.
- Sholihah, D. M. (2019). The Correlation Between Exercise Activity, Genetic Background, Fast Food Consumption, and Dysmenorrhea. *Jurnal Berkala Epidemiologi* 7(2), 129–136. <https://doi.org/10.20473/jbe.v7i22019.129-136>
- Özdemir, A., & Utkualp, N. (2016). Physical and Psychosocial Effects of the Changes in Adolescence Period. *International Journal of Caring Sciences*, 9(2), 717–723.
- Ozerdogan, N., Sayiner, D., Ayranci, U., Unsal, A., & Giray, S. (2009). International Journal of Gynecology and Obstetrics Prevalence and predictors of dysmenorrhea among students at a university in Turkey. *International Journal of Gynecology and Obstetrics*, 107(1), 39–43. <https://doi.org/10.1016/j.ijgo.2009.05.010>
- P2PTM Kemenkes RI. (2018). Bagaimana cara menghitung IMT (Indeks Massa Tubuh)? Retrieved November 28, 2020, from Kemenkes RI website: <http://www.p2ptm.kemkes.go.id/infographic->

p2ptm/obesitas/page/20/bagaimana-cara-menghitung-imt-indeks-massa-tubuh

- P2PTM Kemenkes RI. (2019). Tabel Batas Ambang indeks Massa tubuh (IMT). Retrieved November 29, 2020, from Kemenkes RI website: <http://www.p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/tabel-batas-ambang-indeks-massa-tubuh-imt>
- Prayuni, E. D., Imandiri, A., & Adianti, M. (2018). Therapy for Irregular Menstruation with Acupuncture and Herbal Pegagan (*Centella Asiatica* (L.)). *Journal of Vocational Health Studies*, 02, 86–90. <https://doi.org/10.20473/jvhs>.
- Proctor, M., & Farquhar, C. (2006). *Clinical review Diagnosis and management of dysmenorrhoea*. 332(May), 1134–1138.
- Purnama, H., & Suahda, T. (2019). Tingkat Aktivitas Fisik pada Lansia di Provinsi Jawa Barat, Indonesia. *Jurnal Keperawatan Komprehensif*, 5.
- Putri, R. C. (2019). *Hubungan antara Status Gizi, Riwayat Keluarga, dan Rutinitas Olahraga dengan Kejadian Dismenore pada Siswi kelas XI di SMA 08 Pontianak*. Skripsi. Universitas Muhammadiyah Pontianak.
- Ratna Wati, L., Devi Arifiandi, M., & Prastiwi, F. (2017). Hubungan Aktifitas Fisik dengan Derajat Dysmenorrhea Primer pada Remaja. *Journal of Issues in Midwifery*, 1, 1–9.
- Reed, B. G., & Carr, B. R. (2018). *The Normal Menstrual Cycle and the Control of Ovulation*. MDText.com, Inc., South Dartmouth (MA).
- Reeder, Martin, & Koniak-Griffin. (2013). *Keperawatan Maternitas Kesehatan Wanita, Bayi, & Keluarga* (8th ed.). Jakarta: EGC.
- Richard, J. E., & Hawley, R. S. (2011). *The Human Genome A User's Guide* (Third Edition). <https://doi.org/10.1016/B978-0-08-091865-5.00008-4>
- Rosvita, N. C., Widajanti, L., Pangestuti, D. R., & Rosvita, N. C. (2018). Hubungan Tingkat Konsumsi Kalsium, Magnesium, Status Gizi (IMT/U), dan Aktivitas Fisik dengan Kram Perut Saat Menstruasi Primer Pada Remaja Putri (Studi di Sekolah Menengah Atas Kesatrian 2 Kota Semarang tahun 2017). *Jurnal Kesehatan Masyarakat*, 6, 519–526.
- Sabilu, Y., Fachlevy, A. F. (2017). Analisis Faktor yang Berhubungan dengan Kejadian Disminorea pada Remaja Putri di SMA Negeri 8 Kendari tahun 2016. *Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat Vol. 2/No.6/ Mei 2017; ISSN 250-731X*, 2(6), 1–14.
- Safikhani, S., Gries, K. S., Trudeau, J. J., Reasner, D., Rüdell, K., Coons, S. J., Vernon, M. (2018). Response scale selection in adult pain measures : results from a literature review. *J Patient Rep Outcomes*. <https://doi.org/10.1186/s41687-018-0053-6>

- Sahin, S., Ozdemir, K., Unsal, A., & Arslan, R. (2014). Review of Frequency of Dysmenorrhea and Some Associated Factors and Evaluation of the Relationship between Dysmenorrhea and Sleep Quality in University Students. *Gynecologic and Obstetric Investigation*, 3(7), 179–185. <https://doi.org/10.1159/000363743>
- Sari, D., Nurdin, A. E., & Defrin. (2015). Hubungan Stres dengan Kejadian Dismenore Primer pada Mahasiswi Pendidikan Dokter Fakultas Kedokteran Universitas Andalas. *Jurnal Kesehatan Andalas*, 4(2), 567–570.
- Sari, R. P. (2015). *Hubungan antara Obesitas dengan Siklus Menstruasi*. Jurnal Kesehatan dan Agromedicine. 2(4)
- Setyani, S., & Indarwati, L. (2014). Pengaruh Status Gizi dan Olahraga Terhadap Derajat Dismenore. *Jurnal Kebidanan*, VI(02), 57–67.
- Sinaga, E., Saribanon, N., Suprihatin, Sa'adah, N., Salamah, U., Murti, Y. A., ... Lorita, S. (2017). *Manajemen Kesehatan Menstruasi*. Jakarta: Universitas Nasional IWWASH Global One.
- Sultan, C., Gaspari, L., & Paris, F. (2012). *Adolescent Dysmenorrhea*. 22, 171–180. *Pediatric and Adolescent Gynecology. Evidence- Based Clinical Practice*. 2nd
- Sunarsih. (2017). Hubungan Status Gizi dan Aktifitas Fisik Terhadap Keteraturan Siklus Menstruasi Mahasiswa Program Studi Kebidanan Universitas Malahayati Tahun 2017. *Jurnal Kebidanan Malahayati*. 3(4), 190–195.
- Suzanne, A., Amy, W., & Clive, K. (2010). *Review Dysmenorrhoea Learning objectives : Ethical issues* : 149–154.
- Thivel, D., Tremblay, A., Genin, P. M., & Panahi, S. (2018). *Physical Activity , Inactivity , and Sedentary Behaviors : Definitions and Implications in Occupational Health*. 6(October), 1–5. <https://doi.org/10.3389/fpubh.2018.00288>
- Tristiana, A. (2017). *Hubungan Aktivitas Fisik dengan Kejadian Dismenore Primer pada Santri di Pondok Pesantren X di Kabupaten Bogor*. Skripsi. Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- Vlachou, E., Owens, D. A., Lavdaniti, M., Kalemikerakis, J., Evagelou, E., Margari, N., ... Tsartsalis, A. N. (2019). Prevalence, Wellbeing, and Symptoms of Dysmenorrhea among University Nursing Students in Greece. *MDPI*, 1–14. <https://doi.org/10.3390/diseases7010005>
- Widayanti, L. P., & Widawati, P. R. (2018). Correlation Between Body Mass Index and Dysmenorrhea in Preclinical Female Students Aged 16-24 at The Hang Tuah University Medical Faculty, Surabaya. *International Conference on Sustainable Health Promotion 2018*, 66–71.
- Wijayaswari Pande, N. N. U., & Purnawati, S. (2016). Hubungan Antara Indeks

Massa Tubuh (IMT) dengan Dismenorea pada Mahasiswi Fakultas Kedokteran Universitas Udayana. *E-Jurnal Medika Udayana*, 5(3), 1–9.

World Health Organization (WHO). (2015). Adolescent Development: Topics at Glance.

Wrisnijati, D., & Wiboworini, B. (2019). Prevalence and Factor Associated with Severity of Dysmenorrhea Among Female Adolescent in Surakarta. *Jurnal Gipas*. 3(1).

Zhu, X., Wong, F., Bensoussan, A., Lo, S. K., & Zhou, C. (2010). Are there any cross-ethnic differences in menstrual profiles ? A pilot comparative study on Australian and Chinese women with primary dysmenorrhea. *Journal of Obstetrics and Gynaecology Research* 36(5), 1093–1101. <https://doi.org/10.1111/j.1447-0756.2010.01250.x>